

CHAMBERS COUNTY HIGHWAY DEPARTMENT

Josh Harvill
County Engineer

Daniel Lundy
Assistant County Engineer

PO Box 650
Lafayette, AL 36862
Telephone: 334-864-4377
Fax: 334-864-7850



COMMISSIONERS

CHARLIE WILLIAMS, DIST. 1
JAMES BROWN, DIST. 2
JOE BLANKS, DIST. 3
HENRY OSBORNE, DIST. 4
DAVID EASTRIDGE, DIST. 5
DEBBIE WOOD, DIST. 6

Date: _____

Dear Sir:

Enclosed you will find a bid for Paving. If you are interested in bidding, please complete the form and return it to:

Chambers County Highway Department

INQUIRY # _____

P. O. Box 650

LaFayette, Alabama 36862

Notice that all bids must be received no later than 10:00 a.m. Central Time
Date: _____. All bids should be in individual envelopes with the
APPROPRIATE INQUIRY NUMBER shown on the outside of the envelope.

If you have any questions, please call the County Engineer's Office at 334-864-4377.

Sincerely,


Josh Harvill
County Engineer

Enclosure

STATE OF ALABAMA
CHAMBERS COUNTY
CHAMBERS COUNTY COMMISSION
LAFAYETTE, ALABAMA

Gentlemen:

Sealed bids will be received by the Purchasing Agent at the Highway Department in LaFayette, Alabama until the above time and date, and then opened as soon thereafter as practicable for furnishing the items listed below, f. o. b. points shown:

Purchasing Agent

Annual Paving Bid

By submitting this bid, the bidder agrees to honor the following Specifications to the Chambers County Highway Department and all Municipalities within Chambers County electing to participate in this bid.

All materials to be placed shall be in accordance with the current revision of the Alabama Department of Transportation Standard Specifications and/or approved by the Chambers County Engineer or Municipality Designee. All materials shall meet current ALDOT specifications and /or approved by the Chambers County Engineer or Municipality Designee. (Note: The following items and subsequent bid prices shall in no way affect any project let on contract by Chambers County or Municipality within Chambers County). Upon Request, Test Reports shall be submitted on all materials before Payment will be made. All items shall be bid for any location in Chambers County including its Municipalities.

- 1. Price per ton to place hot plant mix on a primed roadway base surface. Price to include all materials, labor, and equipment required to clean roadway, haul, spread, and compact the asphalt material in place in compliance with the applicable section of the ALDOT specifications.

Item: 429A Imp. Bit. Conc. Wearing Surface Layer, 3/8" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429A Imp. Bit. Conc. Wearing Surface Layer, 1/2" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429A Imp. Bit. Conc. Wearing Surface Layer, 3/4" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429B Imp. Bit. Conc. Binder Layer, 3/4" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429B Imp. Bit. Conc. Binder Layer, 1" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

2. Price per ton, including tack coat, to place hot plant mix on an existing roadway surface (Ditch Section). Price to include all materials, labor, and equipment required to clean and prepare roadway (Including Clipping), haul, spread, and compact the asphalt material in place in compliance with the applicable section of the ALDOT specifications.

Item: 429A Imp. Bit. Conc. Wearing Surface Layer, 3/8" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429A Imp. Bit. Conc. Wearing Surface Layer, 1/2" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429A Imp. Bit. Conc. Wearing Surface Layer, 3/4" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429B Imp. Bit. Conc. Binder Layer, 3/4" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429B Imp. Bit. Conc. Binder Layer, 1" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

3. Price per ton, including tack coat, to place hot plant mix on an existing roadway surface (Curb Section). Price to include all materials, labor, and equipment required to clean and prepare roadway, haul, spread, and compact the asphalt material in place in compliance with the applicable section of the ALDOT specifications.

Item: 429A Imp. Bit. Conc. Wearing Surface Layer, 3/8" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429A Imp. Bit. Conc. Wearing Surface Layer, 1/2" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429A Imp. Bit. Conc. Wearing Surface Layer, 3/4" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429B Imp. Bit. Conc. Binder Layer, 3/4" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429B Imp. Bit. Conc. Binder Layer, 1" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

4. Price per ton, including tack coat, to widen an existing roadway at the width and rate requested by the Chambers County Hwy. Dept. or Municipality Designee. Price to include all materials, labor, and equipment required to notch out edge of pavement, clean roadway, haul, spread, and compact the asphalt material in place in compliance with the applicable section of the ALDOT specifications.

Item: 429C Imp. Bit. Conc. Base Layer, Widening, 1 1/2" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

5. Price per ton, including tack coat, to level an existing roadway surface at a rate specified by the Chambers County Hwy. Dept. or Municipality Designee. Price to include all materials, labor, and equipment required to clean roadway, haul, spread, and compact the asphalt material in place in compliance with the applicable section of the ALDOT specifications and the County Engineer or Municipality Designee.

Item: 429A Imp. Bit. Conc. Wearing Surface Layer, Leveling, 3/8" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

Item: 429A Imp. Bit. Conc. Wearing Surface Layer, Leveling, 1/2" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

6. Price per ton, including tack coat, to repair soft areas in an existing roadway (failures) by the removal of the existing material (by milling or excavation) and grading/compacting the underlying base or subgrade at the specified locations as directed by the Chambers County Hwy. Dept. or Municipality Designee and Patching with approx. 300 lbs/sy of plant mix. Price to include all materials, labor, and equipment required to prepare & clean roadway, haul, spread, and compact the asphalt material in place in compliance with the applicable section of the ALDOT specifications and the County Engineer or Municipality Designee.

Item: 429B Imp. Bit. Conc. Binder Layer, Patching, 1" MASM, ESAL Range A-D

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

7. Price per ton, to Flush out shoulders to the edge of pavement with Crushed Aggregate, ALDOT 825B, at the specified width and locations as directed by the Chambers County Highway Department or Municipality Designee. Work shall proceed paving operations. Price to include all materials, labor, and equipment required to haul, spread & compact material and clean roadway in compliance with the applicable section of the ALDOT specifications and the County Engineer or Municipality Designee.

Item: 430B Aggregate Surfacing

\$ _____/Ton	0-50 Tons
\$ _____/Ton	51-150 Tons
\$ _____/Ton	151-500 Tons
\$ _____/Ton	501 Tons and above

8. Price per Square Yard, to place Crushed Aggregate Base (ALDOT 825B), at the specified width and locations as directed by the Chambers County Highway Department or Municipality Designee. Price to include all materials, labor, and equipment required to haul, spread, grade & compact the material in compliance with the applicable section of the ALDOT specifications and the County Engineer or Municipality Designee.

Item: 301A Crushed Agg. Base Course, Type B, Plant Mixed, 4" Compacted Thickness

\$ _____/SY	0-1000 SY
\$ _____/SY	1000-4000 SY
\$ _____/SY	4000-10000 SY
\$ _____/SY	10000 SY and above

Item: 301A Crushed Agg. Base Course, Type B, Plant Mixed, 6" Compacted Thickness

- \$ _____ /SY0-1000 SY
- \$ _____ /SY 1000-4000 SY
- \$ _____ /SY 4000-10000 SY
- \$ _____ /SY 10000 SY and above

9. Price per Square Yard, to Prime an existing roadway base surface at the specified width and locations as directed by the Chambers County Highway Department or Municipality Designee. Price to include all materials, labor, and equipment required to haul, spread, grade & compact the material in compliance with the applicable section of the ALDOT specifications and the County Engineer or Municipality Designee. Type Prime shall be MC 30 or MC 70 Cutback Asphalt.

Item: 401A Bituminous Treatment A

- \$ _____ /SY0-1000 SY
- \$ _____ /SY 1000-4000 SY
- \$ _____ /SY 4000-10000 SY
- \$ _____ /SY 10000 SY and above

PRICE ADJUSTMENTS will be made to all Asphalt Materials in accordance with the following: It is understood and agreed that the price per ton of materials bid is based on prices at the time of opening of bids. Prices on contracts developed from this bid will be adjusted based on the PRICE INDEX per gallon of asphalt as determined by the ALDOT Asphalt Index for the month of August yr._____. Any increase or decrease in asphalt prices will be determined and adjusted by the price index for the month in which delivery and placement is made. Adjustment will be made in accordance with the current ALDOT Specifications. This adjustment shall apply to the amount of tack used and the amount of liquid used in the plant mix material. Thus a Job Mix for plant mix items must be submitted before payment will be made.

Contractor shall furnish flagmen and portable traffic control devices (or other method approved by the County Engineer or Municipality Designee) in accordance with the Manual of Uniform Traffic Control Devices.

Work shall begin within 21 Days of Written Notice from Chambers County Hwy. Dept. or Municipality (Note: Work to be done on primed roadways shall commence within seven (7) days of written notice), unless a time extension is given by the County Engineer or Municipality Designee. In the event that Work has not commenced within the allowable time frame as stated above, the purchase order may be cancelled and placed with the Contractor whose price is the next acceptable bid above that awarded. Contractor shall give Chambers County or Municipality twenty-four (24) hour notice that work is to begin. Notice shall be given during the normal hours of operation of the Chambers County Highway Department or Municipality.

If mutually agreeable, after the original bid year, this contract can be renewed at a maximum of two one-year periods.

Signature on bid must be in ink. Bids made out in pencil will NOT be accepted. Bid must be NOTARIZED. County reserves the right to accept or reject all Bids or any portion thereof.

If you are unable to furnish an item as specified and desire to offer a substitute, please give full description of the items offered as substitutes, otherwise your quotations will not be considered. If no exception is made on bid sheet, it will be assumed that the bidder is offering the articles specified. Bidders must indicate the brand or make of items they propose to furnish.

ALL BIDDERS MUST USE OUR BID FORM AND MUST SHOW ON FACE OF ENVELOPE CONTAINING BID, THE INQUIRY NUMBER AND OPENING DATE. FAILURE TO COMPLY WITH THIS MAY RESULT IN YOUR BID NOT BEING CONSIDERED.

HOURS OF OPERATION ARE AS FOLLOWS

**Monday-Thursday
6:00 a.m. to 4:30 p.m.**

Please call for alternate address if bid is to be delivered outside of our normal operating hours.

**Please remit all Bids and Inquiries to the following address.
The Inquiry Number must be included in the remittance address**

CHAMBERS COUNTY ENGINEER
INQUIRY # _____
P.O. BOX 650
LAFAYETTE, AL 36862

**WARNING !!! No errors will be corrected after Bids are opened. No price
Shall include State or Federal Excise Taxes. Tax exemption certificates furnished upon request.**

I hereby affirm I have not been in any agreement or collusion among bidders or prospective bidders in restraint of freedom of competition, by agreement to bid at a fixed priced or to refrain from bidding or otherwise.

THIS BID MUST BE NOTARIZED.

Sworn to and subscribed before me

This the _____ day of _____, 20____.

Notary Public

Firm: _____

By: _____

Street Address: _____

City: _____

Terms: _____

Date: _____

Email: _____

Telephone No.: _____

IMPORTANT: Any attachment hereto is made and becomes a part of this inquiry and must be signed by Bidder.